



## Padlocks

### 65 Series Brass Padlock

The ABUS 65 Series Brass Padlocks have a solid brass body and a hardened steel shackle with NANO PROTECT™ coating. The inner components are made from non-corrosive materials. The precision pin cylinder has mushroom counter pins with the paracentric key-way offering greater protection against manipulation. Automatic locking mechanism.

Sizes 20-25mm are ideal for securing valuables / goods of lesser value or at a low risk of theft. Such as bags, suitcases, jewellery boxes, cash boxes, etc.

Sizes 30-60mm are ideal for securing valuables / goods of medium value or at an average risk of theft. Such as chains, doors, gates, cupboards, lockers, toolboxes, cellar windows, sheds, switchboards, etc.

This ABUS 65/20 Brass Padlock is supplied carded and has the following specification:

ABUS Security Level: 3.

Shackle Width: 9mm.


Shackle Height: 11mm.

Shackle Diameter: 4mm.

Overall Width: 20mm.

Overall Height: 34mm.

Overall Depth: 10mm.



### 158 Combination Padlock

The ABUS 158 Series Combination Padlock with a solid die-cast zinc body and a hardened steel shackle. 3-digit (40mm), 4-digit (50mm), or 5-digit (65mm) resettable combination where you can set your own PIN.

Ideal for medium security requirements where convenience of use is a high priority (e.g. schools, companies).

Four digit resettable coded mechanism.

Overall Width: 52mm

Overall Height: 101mm

Overall Depth: 26mm

Shackle Width: 25.5mm I.D.

Shackle Height: 33.5mm

Shackle Diameter: 8mm





## Padlocks

### 200 Series Hasp & Staple

ABUS 200 Series hasp and staple with an all steel construction with hidden screws for basic security. Corrosion protected.

Where to use it:

Designed for doors closing flush, i.e. door leaf and door frame are level.

Length: 95mm.

Width: 39mm.

Shackle Bore: 13.5mm.



### 82 Series Monoblock Shutter Padlock

The ABUS 82 Series Monoblock Shutter Padlocks have a solid brass body and a through hardened steel alloy shackle which rotates when attacked. 5 Pin precision cylinder with anti-pick mushroom pins and rust-free components. A hardened steel pin protects the narrow side of the lock against sawing and can be locked without the key by pushing in the bolt.

This ABUS 82/90 Monoblock Padlock is supplied carded and has the following specification:

ABUS Security Level: 7.

Shackle Width: 35mm.

Shackle Height: 18mm.

Shackle Diameter: 12mm.

Overall Width: 90mm.

Overall Height: 61mm.

Overall Depth: 22.5mm.





## Padlocks

### 41 Series Laminated Padlock

The ABUS ETERNA 41 Series Padlocks are made from individual, laminated steel sections. Each steel plate has been individually coated in the ETERNA treatment process, which offers 13 times more corrosion protection than normal zinc plating for up to 40 years weather protection.

Fitted with a precision pin tumbler cylinder with anti-pick mushroom pins. Self-locking, lock without a key by pushing down the shackle. Hardened steel shackle on 30mm, hardened steel alloy shackle on 40mm and above.

Ideal for securing valuables/goods of medium value or at an average risk of theft.

Made in Germany.



This ABUS 41/30 ETERNA Laminated Padlock is supplied carded and has the following specification:

ABUS Security Level: 5.

Shackle Width: 15.5mm.

Shackle Height: 16.5mm.

Shackle Diameter: 5mm.

Overall Width: 35mm.

Overall Height: 54mm.

Overall Depth: 22mm.

### 23 Series Diskus® Padlock

The ABUS 23 Series Diskus® Padlock is an economy version of the distinctive ABUS 26/70 series Diskus padlock, incorporating the original Diskus design with a competitive price.

It is fitted with a precision pin tumbler cylinder with anti-pick mushroom pins, a solid lock body which resists drill, pull and manipulation attacks, and a through hardened steel alloy shackle to resist saw attacks. Diskus® 'Deep Weld Technology' offers maximum case strength. Key operated, lock retains key until locked.

Ideal for securing valuables/goods of great value or at a very high risk of theft, warehouses, factory gates, containers and lorries.

Made in Germany.



This ABUS 23/60 Diskus® Padlock is supplied carded with 2 keys.

Specification

ABUS Security Level: 7.

Shackle Width: 17.5mm.

Shackle Height: 13mm.

Shackle Diameter: 8mm.

Overall Width: 60mm.

Overall Height: 60mm.

Overall Depth: 26mm.



## Padlocks

### 70IB Aqua Safe Padlock

The ABUS 70IB Series Marine grade padlocks have a solid brass body sealed in a protective vinyl cover with drainage channels to protect the cylinder against water and dirt. The shock absorbing vinyl casing prevents damage to polished surfaces. They have a precision pin tumbler cylinder with a stainless steel shackle and rust-free internal components, for medium security requirements in severe weather and environmental conditions, ideal for securing to vehicles and boats.

The inside parts are made of 100% rust-proof materials and have drainage grooves to carry off penetrating water. They also feature a double bolted shackle and a self locking cylinder.

Codes ending LSC indicate a long shackle.

Keyed alike available.

This ABUS 70IB/35 Aqua Safe Brass Padlock has the following specification:

ABUS Security Level: 4.

Shackle Width: 14.5mm.

Shackle Height: 25mm.

Shackle Diameter: 6.5mm.

Overall Width: 36mm.

Overall Height: 65mm.

Overall Depth: 19mm.

